



FUJIAN SIJIA INDUSTRIAL MATERIAL CO., LTD.

INSPECTION

- 1、 Inspected items: Tensile, Tearing and Adhesion Strength, Weight, Thickness
- 2、 Tested Condition: Temperature: 25°C; Humidity: 60%
- 3、 Testing Machine: Tensile Testing Machine
- 4、 Test Result: (based on average)

Material		Boat Material		
Specification		0.90mm/1100gsm		
Items		Test Result	Standard	Inspection Method
Thickness(mm)		0.90	0.90±0.02	DIN EN ISO 2286-2
Weight(gsm)		1100		DIN EN ISO 2286-2
Tensile Strength (N/5cm)	Warp(MD)	4100	≧ 3800	DIN 53354
	Weft(CD)	3700	≧ 3500	
Elongation(%)	Warp(MD)	26	20-30	DIN 53354
	Weft(CD)	34	25-35	
Tearing Strength (N/5cm)	Warp(MD)	358	≧ 300	DIN 53363
	Weft(CD)	392	≧ 350	
Adhesion Strength (N/5cm)	COVER	123	≧ 105	DIN 53357
	BACK	129	≧ 105	
Result		PASS		

Address: Sijia Industrial Garden Zone, Huanxi Town, Jinan District, Fuzhou, 350024 Fujian, China

Tel: 0591-87956888-863
Email: sija6@sijiagn.com

Tel: 0591-87956076
Website: www.sijiagn.com